



中国认可  
国际互认  
检测  
TESTING  
CNAS L4783

# Test Report

Report No.: NAP2404019401E

Page 1 of 8

Applicant: DA QIANG TOYS FACTORY

Address: Chenghai District, Shantou City, Guangdong Province, China

The following test sample information is provided and confirmed by the applicant:

Sample Name: Sports Toys series  
 Item No.: Please see page 2 below  
 Packaging Provided: Yes  
 Labeled Age Grading: 3+  
 Requested Age Grading: 3+  
 Age Group Applied in Testing: 3+

Date of sample(s) received: Apr.08,2024  
 Date of Test Period: Apr.08,2024 ~ Apr.12,2024  
 Date of Report: Apr.15,2024

## TEST REQUIREMENT

## CONCLUSION

- |  |      |
|--|------|
| 1. As specified by client, to determine the EN71-1:2014+A1:2018 Mechanical & Physical Properties in the submitted samples. | PASS |
| 2. As specified by client, to determine the EN71-2:2020 Flammability in submitted samples.                                 | PASS |
| 3. As specified by client, to determine the EN71-3:2019+A1:2021 Migration of certain elements in submitted samples.        | PASS |

NAP Testing Technology Service (Zhongshan) Co., LTD

*Lian Yi*

Lian Yi

Authorized Signatory



Unless otherwise stated, this test report is only responsible for the sample(s). This test report cannot be reproduced in part without prior written permission of the testing Lab. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accepted.

NAP Testing Technology Service (Zhongshan) Co., LTD  
 TEL: 0760-86509960 E-mail:service@nap-testing.com

Add: 4th floor Zone A and 5th floor, Site no. 81, Lixi Avenue, Banfu Borough, Zhongshan City, Guangdong Province, China



# Test Report

Report No.: NAP2404019401E

Page 2 of 8

The following test sample information is provided and confirmed by the applicant:

Item No.: BB406,001,001-6G,002,002-1,002A,002B,002B2,002B4,003,003-1B,003-1H,003-2B,003-2H,003-3B,004,004A,004B,004B1,005,006,180,180F,1808,1808-5,1808-6,1808-8,1808-9,187,188,188A,188D,189B,189C,189F,189G,189H,199A,199E,199F,199G,199H,210,211,212,213,214,215,216,216H,217,217D,218,218A,218D,219A,219,260,275,2860,2860A,2861A,2861A1,2861A2,2861H,2863,2863A,2863H,2863S,2864S1,2864B,2864,2865,2866,2866B,28660B,2866B1,2866B2,2866F,2866H,2867,28671,2867B,2867B1,2868,2868H,2868B2,2869,2890,2891,2891H,315,315A,316,316D,316P,501,501A,501C,501D,502,5200,5200H,5201,5201H,5202H,5203,5204,5205,5205H,5206,5206H,5207,5208,5208P,5209,770,771,772,773,774,775,776,777,778,779,800,801,802,803,804,805,806,807,808,809,900,900A,900A4,900A5,900A6,900A7,900A8,900A9,900H,9001H1,9001H3,900E5,900E6,901,901A,901B,901B2,901B3,901B4,902,902B1,902B2,903,903F,903F1,904,904A,904B,904B1,904B2,904H,905,905B,905B2,905H,906,906A,906H,907,907A,907B,907H,9071H1,9070,9070A,907A4,907A5,907A6,907A7,907A9,908,908A,908H,909,909-1,909A,909B,909F,910F,910F1,9500,9500B,9500C,9500D,9600



Unless otherwise stated, this test report is only responsible for the sample(s). This test report cannot be reproduced in part without prior written permission of the testing Lab. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accepted.

NAP Testing Technology Service (Zhongshan) Co., LTD  
TEL: 0760-86509960 E-mail:service@nap-testing.com

Add: 4th floor Zone A and 5th floor, Site no. 81, Lixi Avenue, Banfu Borough, Zhongshan City, Guangdong Province, China



# Test Report

Report No.: NAP2404019401E

Page 3 of 8

## Test Result(s):

### 1. Mechanical & Physical Properties

**TESTS OF THE MOST STRINGENT REQUIREMENTS OF THE FOLLOWING STANDARDS: EN 71-1:2014+A1:2018**

The following clauses are identified to be applicable:

Age grading for testing: Age 3+

Clause	Test Items	Assessment
		All
4	General requirements	
4.1	Material cleanliness	P
4.2	Assembly	NA
4.3	Flexible plastic sheeting	P
4.4	Toy bags	NA
4.5	Glass	NA
4.6	Expanding materials	NA
4.7	Edges	P
4.8	Points and metallic wires	P
4.9	Protruding parts	NA
4.10	Parts moving against each other	NA
4.10.1	Folding and sliding mechanisms	NA
4.10.2	Driving mechanisms	NA
4.10.3	Hinges	NA
4.10.4	Springs	NA
4.11	Mouth-actuated toys and other toys intended to be put in the mouth	NA
4.12	Balloons	NA
4.13	Cords of toys kites and other flying toys	NA
4.14	Enclosures	NA
4.14.1	Toys which a child can enter	NA
4.14.2	Masks and helmets	NA
4.15	Toys intended to bear the mass of a child	NA
4.15.1	Toys propelled by a child or by other means	NA
4.15.2	Toy bicycles	NA
4.15.3	Rocking horses and similar toys	NA
4.15.4	Toys not propelled by a child	NA
4.15.5	Toy scooters	NA
4.16	Heavy immobile toys	NA
4.17	Projectiles toys	NA
4.17.1	General	NA
4.17.2	All projectiles	NA
4.17.3	Projectile toys with stored energy	NA
4.17.4	Certain projectile toys without stored energy	NA



Unless otherwise stated, this test report is only responsible for the sample(s). This test report cannot be reproduced in part without prior written permission of the testing Lab. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accepted.

NAP Testing Technology Service (Zhongshan) Co., LTD  
TEL: 0760-86509960 E-mail: service@nap-testing.com

Add: 4th floor Zone A and 5th floor, Site no. 81, Lixi Avenue, Banfu Borough, Zhongshan City, Guangdong Province, China



# Test Report

Report No.: NAP2404019401E

Page 4 of 8

4.18	Aquatic toys and inflatable toys	P
4.19	Percussion caps specifically designed for use in toys and toy using percussion caps	NA
4.20	Acoustics	NA
4.21	Toys containing a non-electrical heat source	NA
4.22	Small balls	P
4.23	Magnets	NA
4.23.1	General	NA
4.23.2	Toys other than magnetic/electrical experimental sets intended for children over 8 years	NA
4.23.3	Magnetic/electrical experimental sets intended for children over 8 years	NA
4.24	Yo-yo balls	NA
4.25	Toys attached to food	NA
4.26	Toy disguise costumes	NA
4.27	Flying toys	NA
5	General Requirements – Toys intended for children under 36 months	
5.1	General requirements	NA
5.2	Soft-filled toys and soft-filled parts of a toy	NA
5.3	Plastic sheeting	NA
5.4	Cords, chains and electrical cables in toys	NA
5.4.1	General	NA
5.4.2	Cords and chains in toys intended for children under 18 months	NA
5.4.3	Cords and chains in toys intended for children of 18 months or over but under 36 months	NA
5.4.4	Fixed loops, tangled loops and nooses	NA
5.4.5	Cords and chains on pull along toys	NA
5.4.6	Electrical cables	NA
5.4.7	Cross-sectional dimension of certain cords	NA
5.4.8	Self-retracting cords	NA
5.4.9	Toys attached to or intended to be strung across a cradle, cot or perambulator	NA
5.5	Liquid-filled toys	NA
5.6	Speed limitation of electrically driven ride-on toys	NA
5.7	Glass and porcelain	NA
5.8	Shape and size of certain toys	NA
5.9	Toys comprising monofilament fibers	NA
5.10	Small balls	NA
5.11	Play figures	NA
5.12	Hemispheric-shaped toys	NA
5.13	Suction cups	NA
5.14	Straps intended to be worn fully or partially around the neck	NA
5.15	Sledges with cords for pulling	NA



Unless otherwise stated, this test report is only responsible for the sample(s). This test report cannot be reproduced in part without prior written permission of the testing Lab. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accepted.

NAP Testing Technology Service (Zhongshan) Co., LTD  
TEL: 0760-86509960 E-mail: service@nap-testing.com

Add: 4th floor Zone A and 5th floor, Site no. 81, Lixi Avenue, Banfu Borough, Zhongshan City, Guangdong Province, China



# Test Report

Report No.: NAP2404019401E

Page 5 of 8

6	Packaging	NA
7	Warnings, markings and instructions for use	P
<i>Remark:</i> - P = Pass; NA = Not Applicable; F=Fail - Clause 4.18 is not within the CNAS approval range.		

## 2. Flammability

### TESTS OF THE MOST STRINGENT REQUIREMENTS OF THE FOLLOWING STANDARDS:EN 71-2:2020

The following clauses are identified to be applicable:

Age grading for testing: Age 3+

Clause	Test Items	Assessment
		All
4	Requirements	
4.1	General requirements	P
4.2	Toys to be worn on the head	NA
4.2.1	General	NA
4.2.2	Beards, moustaches, wigs, etc., made from pile or flowing elements which protrude 50 mm or more from the surface of the toy	NA
4.2.3	Beards, moustaches, wigs, etc., made from pile or flowing elements which protrude less than 50 mm from the surface of the toy	NA
4.2.4	Full or partial moulded head masks	NA
4.2.5	Toys to be worn on the head (except those covered by 4.2.2 and 4.2.3), hoods, headdresses including upward protruding items and masks not covered by 4.2.4 which partially or fully cover the head(e.g. fabric and paperboard masks, eye masks face masks), but excluding those items covered by 4.3	NA
4.3	Toy disguise costumes and toys intended to be worn by a child in play	NA
4.4	Toys intended to be entered by a child	NA
4.5	Soft-filled toys	NA
<i>Remark:</i> - P = Pass; NA = Not Applicable; F=Fail		



Unless otherwise stated, this test report is only responsible for the sample(s). This test report cannot be reproduced in part without prior written permission of the testing Lab. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accepted.

NAP Testing Technology Service (Zhongshan) Co., LTD  
TEL: 0760-86509960 E-mail:service@nap-testing.com

Add: 4th floor Zone A and 5th floor, Site no. 81, Lixi Avenue, Banfu Borough, Zhongshan City, Guangdong Province, China



# Test Report

Report No.: NAP2404019401E

Page 6 of 8

### 3. EN71-3:2019+A1:2021 Migration of certain elements

Test Method: EN71-3:2019+A1:2021

Soluble Elements	CAS No.	Requirements	Sample, mg/kg				
		Category III, (Scraped-off material)	001	002	003	004	005
Sample weight between (0.01g) 10 mg and (0.1g) 100 mg			--	--	--	--	--
Aluminum(Al)	7429-90-5	28,130	<5.0	<5.0	<5.0	<5.0	717
Antimony(Sb)	7440-36-0	560	<5.0	<5.0	<5.0	<5.0	<5.0
Arsenic(As)	7440-38-2	47	<5.0	<5.0	<5.0	<5.0	<5.0
Barium(Ba)	7440-39-3	18,750	<5.0	<5.0	<5.0	<5.0	17
Boron(B)	7440-42-8	15,000	<5.0	<5.0	<5.0	<5.0	<5.0
Cadmium(Cd)	7440-43-9	17	<2.0	<2.0	<2.0	<2.0	<2.0
Chromium <sup>(2)</sup>	7440-47-3	---	<2.0	<2.0	<2.0	<2.0	<2.0
(Chromium III)	-	460	<2.0	<2.0	<2.0	<2.0	<2.0
(Chromium VI)	-	0.053	<0.025	<0.025	<0.025	<0.025	<0.025
Cobalt(Co)	7440-48-4	130	<5.0	<5.0	<5.0	<5.0	<5.0
Copper(Cu)	7440-50-8	7,700	<5.0	<5.0	<5.0	<5.0	242
Lead(Pb)	7439-92-1	23	<2.0	<2.0	<2.0	<2.0	13
Manganese(Mn)	7439-96-5	15,000	<5.0	<5.0	<5.0	<5.0	<5.0
Mercury(Hg)	7439-97-6	94	<2.0	<2.0	<2.0	<2.0	<2.0
Nickel(Ni)	7440-02-0	930	<5.0	<5.0	<5.0	<5.0	<5.0
Selenium(Se)	7782-49-2	460	<5.0	<5.0	<5.0	<5.0	<5.0
Strontium(Sr)	7440-24-6	56,000	<5.0	<5.0	<5.0	<5.0	1004
Tin(Sn)	7440-31-5	180,000	<2.0	<2.0	<2.0	<2.0	<2.0
Organic Tin(Sn)	Various	12	<2.0	<2.0	<2.0	<2.0	<2.0
Zinc(Zn)	7440-66-6	46,000	<5.0	<5.0	<5.0	<5.0	1647
<b>Rating</b>			PASS	PASS	PASS	PASS	PASS

**Remarks :**

- Soluble migrated elements are determined by ICP-MS (Induced Couple Plasma Mass Spectrometry)
- If the chromium content of the tested sample does not exceed 0.05 mg/kg, it is deemed to comply on the respective migration requirements of chromium III and/or chromium VI under 2009/48/EC. Otherwise, the compliance on the migration requirements of the individual chromium III and/or chromium VI are confirmed by LC-ICP-MS technique.
- # denotes: The chromium VI content is determined by LC-ICP-MS
- If the soluble tin content of the tested sample projected by the tin content does not exceed 4.0 mg/kg, it is deemed to comply on the respective migration requirement of Organic Tin under 2009/48/EC. Otherwise, the compliance on the migration requirement of Organic Tin is confirmed by GC-MS analysis.
- ## denotes: The Organic Tin content is determined by GC-MS.
- \*\*Sample weight less than 10 mg is not required to test soluble elements according to EN71-3: 2019+A1:2021.
- Any deviation from the standard method was specified as follow:
- The customer selects the testing site, and the chemical testing conclusion only applies to the selected part.



Unless otherwise stated, this test report is only responsible for the sample(s). This test report cannot be reproduced in partly without prior written permission of the testing Lab. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accepted.

NAP Testing Technology Service (Zhongshan) Co., LTD  
 TEL: 0760-86509960 E-mail:service@nap-testing.com

Add: 4th floor Zone A and 5th floor, Site no. 81, Lixi Avenue, Banfu Borough, Zhongshan City, Guangdong Province, China

# Test Report

Report No.: NAP2404019401E

Page 7 of 8

## Test Material(s) List:

- (001) Yellow plastic
- (002) Green plastic
- (003) Blue plastic
- (004) White plastic
- (005) Red coating

## Photograph of Sample(s):



Unless otherwise stated, this test report is only responsible for the sample(s). This test report cannot be reproduced in partly without prior written permission of the testing Lab. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accepted.

NAP Testing Technology Service (Zhongshan) Co., LTD  
TEL: 0760-86509960 E-mail:service@nap-testing.com

Add: 4th floor Zone A and 5th floor, Site no. 81, Lixi Avenue, Banfu Borough, Zhongshan City, Guangdong Province, China

# Test Report

Report No.: NAP2404019401E

Page 8 of 8



\*\*\*\*\* End of Report \*\*\*\*\*



Unless otherwise stated, this test report is only responsible for the sample(s). This test report cannot be reproduced in partly without prior written permission of the testing Lab. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accepted.

NAP Testing Technology Service (Zhongshan) Co., LTD  
TEL: 0760-86509960 E-mail:service@nap-testing.com

Add: 4th floor Zone A and 5th floor, Site no. 81, Lixi Avenue, Banfu Borough, Zhongshan City, Guangdong Province, China