

Test Report

Number: SHAH01525914S1

Applicant: NINGBO DREAMGO TOYS CO.,LTD
ROOM 911,LEIDU NORTH WORK E-COMMERCE
PARK, NO.215 HUANGSHAN WEST ROAD, BEILUN
DISTRICT,NINGBO,ZHEJIANG,CHINA
Attn: APPLE LUO

Date: 21 Dec, 2022

THIS IS TO SUPERSEDE REPORT NO.
SHAH01525914 DATED 20 Dec, 2022

Sample Description:

Two(2) sets of submitted sample said to be :
Item Name : **Wooden Croquet Set.**
Item No. : **TP021.**
Quantity : 2 Sets.
Packaging Provided By Applicant : Yes (artwork) .
Labelled Age Group : 3yrs+.
Appropriate Age Grading For Testing :
Country Of Origin : China.

Tests Conducted:

As requested by the applicant, for details refer to attached page(s).

Remark:

No Sample Is Submitted For Testing All Test Results Stated In This Report Are Transferred From Our Test Report
SHAH01525898 Dated 19 Dec, 2022

To be continued

Authorized By:
Intertek Testing Services Ltd .Zhejiang, Ningbo Branch



Peter Chen
General Manager



Test Report

Number: SHAH01525914S1

Conclusion:

<u>Tested Samples</u>	<u>Standard</u>	<u>Result</u>
Submitted Sample	EN71-1: 2014+ A1: 2018 for Mechanical And Physical Properties	Pass
	EN71-2: 2020 Flammability Test	Pass
Tested component of submitted sample	EN 71-3:2019+A1:2021 on migration of certain elements	Pass
	Cadmium content requirement in Commission Regulation (EU) No. 494/2011 of 20 May 2011, (EU) No. 835/2012 of 18 September 2012 and (EU) No. 2016/217 of 16 February 2016 Amending Annex XVII Items 23 of the Reach Regulation (EC) No. 1907/2006	Pass
	Phthalates content requirement in Annex XVII Item 51&52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 & Amendment Commission Regulation (EU) 2018/2005 (formerly known as Directive 2005/84/EC)	Pass
	Polycyclic Aromatic Hydrocarbons (PAHs) content in Annex XVII Item 50 of the REACH Regulation (EC) No. 1907/2006 & amendment (EU) No. 1272/2013	Pass
	Formaldehyde release content	See Data
	Azocolourants content requirement in Annex XVII Item 43 of the REACH Regulation (EC) No. 1907/2006 & Amendment (EC) No. 552/2009 and (EU) 2020/2096	Pass
	Short-Chain Chlorinated Paraffins (C10~C13)(SCCPs) requirement in Regulation (EU) 2019/1021 on Persistent Organic Pollutants (POPs)	Pass
Submitted Sample	BS EN71-1 : 2014 + A1 : 2018 - Mechanical and physical properties	Pass
	BS EN71-2: 2020 Flammability Test	Pass
Tested component of submitted sample	BS EN 71-3: 2019+A1:2021 on migration of certain elements	Pass

To be continued

Authorized By:

Intertek Testing Services Ltd .Zhejiang, Ningbo Branch



Peter Chen
General Manager



Test Report

Number: SHAH01525914S1

Tests Conducted

1 Mechanical and Physical Test

As Per European Standard on Safety of Toys EN71-1: 2014+ A1: 2018.

Applicant's Specified Age Group for Testing: For ages 3 years and up

Clause	Testing Items	Assessment
4	General Requirements	
4.1	Material cleanliness	P
4.2	Assembly	P
4.3	Flexible plastic sheeting	NA
4.4	Toy bags	NA
4.5	Glass	NA
4.6	Expanding materials	NA
4.7	Edges	P
4.8	Points and metallic wires	P
4.9	Protruding parts	NA
4.10	Parts moving against each other	NA
4.11	Mouth actuated toys and other toys intended to be put in the mouth	NA
4.12	Balloons	NA
4.13	Cords of toy kites and other flying toys	NA
4.14	Enclosures	NA
4.15	Toys intended to bear the mass of a child	NA
4.16	Heavy immobile toys	NA
4.17	Projectile toys	NA
4.18	Aquatic toys and inflatable toys	NA
4.19	Percussion caps specifically designed for use in toys and toys using percussion caps	NA
4.20	Acoustics	NA
4.21	Toys containing a non-electrical heat source	NA
4.22	Small balls	P
4.23	Magnets	NA
4.24	Yo-yo balls	NA
4.25	Toys attached to food	NA
4.26	Toy disguise costumes	NA
4.27	Flying toys	NA
5	Toys intended for Children under 36 Months	
5.1	General requirements	NA
5.2	Soft-filled toys and soft-filled parts of a toy	NA
5.3	Plastic sheeting	NA
5.4	Cords, chains and electrical cables in toys	NA
5.5	Liquid filled toys	NA
5.6	Speed limitation of electrically-driven ride-on toys	NA
5.7	Glass and porcelain	NA

Test Report

Number: SHAH01525914S1

Tests Conducted

Clause	Testing Items	Assessment
5.8	Shape and size of certain toys	NA
5.9	Toys comprising monofilament fibres	NA
5.10	Small balls	NA
5.11	Play figures	NA
5.12	Hemispheric-shaped toys	NA
5.13	Suction cups	NA
5.14	Straps intended to be worn fully or partially around the neck	NA
5.15	Sledges with cords for pulling	NA
6	Packaging	NA
7	Warnings, markings and instructions for use	
7.1	General	P
7.2	Toys not intended for children under 36 months	NA
7.3	Latex balloons	NA
7.4	Aquatic toys	NA
7.5	Functional toys	NA
7.6	Hazardous sharp functional edges and points	NA
7.7	Projectile toys	NA
7.8	Imitation protective masks and helmets	NA
7.9	Toy kites	NA
7.10	Roller skates, inline skates and skateboards and certain other ride-on toys	NA
7.11	Toys intended to be strung across a cradle, cot, or perambulator	NA
7.12	Liquid-filled teethingers	NA
7.13	Percussion caps specifically designed for use in toys	NA
7.14	Acoustics	NA
7.15	Toy bicycles	NA
7.16	Toys intended to bear the mass of a child	NA
7.17	Toys comprising monofilament fibres	NA
7.18	Toy scooters	NA
7.19	Rocking horses and similar toys	NA
7.20	Magnetic/electrical experimental sets	NA
7.21	Toys with electrical cables exceeding 300 mm in length	NA
7.22	Toys with cords or chains intended for children of 18 months and over but under 36 months	NA
7.23	Toys intended to be attached to a cradle, cot or perambulator	NA
7.24	Sledges with cords for pulling	NA
7.25	Flying toys	NA
7.26	Improvised projectiles	NA

To be continued



Test Report

Number: SHAH01525914S1

Tests Conducted

Remark: P = Pass

NA = Not Applicable

Artwork of packaging was provided for testing.

Remark: Additional information according to the Toy Safety Directives 2009/48/EC requirement. These information also appears as a note within the EN 71 but are not standard requirements:

1. Marking

The manufacturer's and importer's name, registered trade name or registered trade mark, the address and the CE-marking shall be indicated on the toy or, where that is not possible, on its packaging or in a document accompany the toy. In addition, manufacturers shall ensure that their toys bear a type, batch, serial or model number or other element allowing their identification, or where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy.

After checking, it was found that:

	Toy	Packaging
Manufacturer's name	Absent	Present
Manufacturer's address	Absent	Present
Importer's name	Absent	Present
Importer's address	Absent	Present
Product identification code	Absent	Present
CE-marking	Absent	Present

Date Sample Received: 05 Dec, 2022

Testing Period: 05 Dec, 2022 To 11 Dec, 2022

To be continued



Test Report

Number: SHAH01525914S1

Tests Conducted

2 Flammability Test

As per European Standard on Safety of Toys EN71-2: 2020

Clause	Testing Items	Assessment
4.1	General	P
4.2	Toys to be worn on the head	
4.2.2	Beards, moustaches, wigs, etc., made from pile or flowing elements which protrude 50 mm or more from the surface of the toy	NA
4.2.3	Beards, moustaches, wigs, etc., made from pile or flowing elements which protrude less than 50 mm from the surface of the toy	NA
4.2.4	Full or partial moulded head masks	NA
4.2.5	Toys to be worn on the head	NA
4.3	Toy Disguise Costumes and Toys Intended to be Worn by a Child in Play	NA
4.4	Toys Intended to be Entered by a Child	NA
4.5	Soft Filled Toys	NA

Remark : P = Pass

NA = Not Applicable

Date Sample Received: 05 Dec, 2022

Testing Period: 05 Dec, 2022 To 11 Dec, 2022

To be continued

Test Report

Number: SHAH01525914S1

Tests Conducted

3 19 Toxic Element Migration Test
(A) Test Result

As per EN 71-3:2019+A1:2021 and followed by Inductively Coupled Plasma Atomic Emission Spectrometry, Inductively Coupled Argon Mass Spectrometry, Ion Chromatography- Inductively Coupled Plasma-Mass Spectrometry, Ion Chromatography with UV-VIS and Gas Chromatographic - Mass Spectrometry.
Category (III): Scraped-off toy material

Element	Result (mg/kg)				Reporting Limit (mg/kg)	Limit (mg/kg)
	(1)#	(3)#	(4)#	(5)#		
Aluminium (Al)	ND	308	ND	391	300	28130
Antimony (Sb)	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	5	17
Chromium (III) (Cr III) **	ND	ND	ND	ND	10	460
Chromium (VI) (Cr VI) **	ND	ND	ND	ND	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	159	ND	ND	100	56000
Tin (Sn)	ND	ND	ND	ND	2.5	180000
Organic tin **	ND	ND	ND	ND	5	12
Zinc (Zn)	ND	343	353	366	100	46000

To be continued

Test Report

Number: SHAH01525914S1

Tests Conducted

Element	Result (mg/kg)				Reporting Limit (mg/kg)	Limit (mg/kg)
	(6)#	(7)#	(8)#	(9)#		
Aluminium (Al)	323	ND	ND	ND	300	28130
Antimony (Sb)	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	14	ND	10	18750
Boron (B)	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	5	17
Chromium (III) (Cr III) **	ND	ND	ND	ND	10	460
Chromium (VI) (Cr VI) **	ND	ND	ND	ND	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	ND	ND	2.5	180000
Organic tin **	ND	ND	ND	ND	5	12
Zinc (Zn)	364	ND	ND	ND	100	46000

Element	Result (mg/kg)				Reporting Limit (mg/kg)	Limit (mg/kg)
	(10)	(11)#	(12)#	(13)#		
Aluminium (Al)	ND	ND	ND	ND	300	28130
Antimony (Sb)	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	5	17
Chromium (III) (Cr III) **	ND	ND	ND	ND	10	460
Chromium (VI) (Cr VI) **	ND	ND	ND	ND	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	ND	ND	2.5	180000
Organic tin **	ND	ND	ND	ND	5	12
Zinc (Zn)	ND	ND	ND	ND	100	46000

To be continued



Test Report

Number: SHAH01525914S1

Tests Conducted

Element	Result (mg/kg)	Reporting Limit (mg/kg)	Limit (mg/kg)
	(14)#		
Aluminium (Al)	ND	300	28130
Antimony (Sb)	ND	10	560
Arsenic (As)	ND	10	47
Barium (Ba)	ND	10	18750
Boron (B)	ND	50	15000
Cadmium (Cd)	ND	5	17
Chromium (III) (Cr III) ++	ND	10	460
Chromium (VI) (Cr VI) ++	ND	0.025	0.053
Cobalt (Co)	ND	10	130
Copper (Cu)	ND	10	7700
Lead (Pb)	ND	10	23
Manganese (Mn)	25	10	15000
Mercury (Hg)	ND	10	94
Nickel (Ni)	ND	10	930
Selenium (Se)	ND	10	460
Strontium (Sr)	ND	100	56000
Tin (Sn)	ND	2.5	180000
Organic tin ++	ND	5	12
Zinc (Zn)	ND	100	46000

Remark : mg/kg = milligram per kilogram
Spl.wt.=Sample Weight

++ = Unless the test results were marked with "#" or "Δ", Chromium (III) & Chromium (VI) and Organic tin contents were not directly determined and were derived from migration results of total chromium and tin respectively.

- Organic tin test result was expressed as tributyl tin.

ND = Not detected (less than reporting limit)

= Confirmation of Chromium (VI) test was performed on the tested component. And the reported value of migration of Chromium (III) = migration value of total Chromium – migration value of Chromium(VI).

Tested component(s): See component list in the last section of this report.

@: Since the sample weight of the component (2) was less than 10 mg, soluble heavy metal analysis was not applicable.

To be continued

Test Report

Number: SHAH01525914S1

Tests Conducted

(B) Categories of various toy materials

Category I: Dry, brittle, powder like or pliable

Solid toy material from which powder-like material is released during playing and semi-solid materials that may also leave residues on the hands during play. The material can be ingested. Contamination of the hands with the material may contribute to the oral exposure of the material. (e.g. the cores of colouring pencils, chalk, crayons, modelling clays and plaster).

Category II: Liquid or sticky

Fluid or viscous toy material, which can be ingested or to which dermal exposure may occur during playing. (e.g. liquid paints, finger paints, liquid ink in pens, glue sticks, slimes, bubble solution).

Category III: Scraped-off

Solid toy material with or without a coating, which can be ingested as a result of biting, tooth scraping, sucking or licking. (e.g. coatings, lacquers, plastics, paper, textiles, glass, ceramic, metallic, wooden, bone, leather and other materials).

Date Sample Received: 05 Dec, 2022

Testing Period: 05 Dec, 2022 To 12 Dec, 2022

To be continued

Test Report

Number: SHAH01525914S1

Tests Conducted

4 Cadmium (Cd) Content

With reference to methods EN 1122:2001 (Method B), acid digestion method was used and total Cadmium content was determined by Inductively Coupled Argon Plasma Spectrometry.

Tested Components	Result in %
(1+2)	ND
(3+4)	ND
(5+6)	ND
(7)to(10)	ND

Requirement:	
Category	Limit (%)
Painted article	0.1
Plastic	0.01
Metal parts of jewellery & hair accessories	0.01

Remark: % = Percentage based on dry weight of sample
ND = Not Detected (<0.0005%)

Tested Components: See component list in the last section of this report.

Date Sample Received: 05 Dec, 2022

Testing Period: 05 Dec, 2022 To 12 Dec, 2022

To be continued

Test Report

Number: SHAH01525914S1

Tests Conducted

5 Phthalate Content

With reference to ISO 8124-6: 2018, by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

I. Annex XVII Item 51

Tested Compound	CAS No.	Result (%w/w)				Limit (%w/w)
		(1+2)	(3+4)	(5+6)	(7)to(10)	(Max.)
Dibutyl phthalate (DBP)	84-74-2	ND	ND	ND	ND	-
Diethyl hexyl phthalate (DEHP)	117-81-7	ND	ND	ND	ND	-
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	ND	ND	-
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	ND	ND	-
Sum of DBP,DEHP,BBP and DIBP	--	ND	ND	ND	ND	0.1

The above limit was quoted according to Annex XVII Item 51 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 & Amendment Commission Regulation (EU) 2018/2005 for phthalate content in articles. For toys and childcare articles, DIBP limit was quoted from Commission Regulation (EU) 2018/2005 effective from 7 July 2020.

For non-toys and non-childcare articles, DBP, DEHP, BBP, DIBP limit was quoted from Commission Regulation (EU) 2018/2005 effective from 7 July 2020.

II. Annex XVII Item 52

Tested Compound	CAS No.	Result (%w/w)				Limit (%w/w)
		(1+2)	(3+4)	(5+6)	(7)to(10)	(Max.)
Di-n-octyl phthalate (DnOP)	117-84-0	ND	ND	ND	ND	-
Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	ND	ND	ND	ND	-
Diisodecyl phthalate (DIDP)	26761-40-0/ 68515-49-1	ND	ND	ND	ND	-
Sum of DINP, DNOP and DIDP	--	ND	ND	ND	ND	0.1

The above limit was quoted according to Annex XVII Item 52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 for phthalate content in toys and childcare articles.

Remark: Detection Limit = 0.01%(w/w)
ND = Not Detected

Tested Components: See component list in the last section of this report.

Date Sample Received: 05 Dec, 2022

Testing Period: 05 Dec, 2022 To 13 Dec, 2022

To be continued



Test Report

Number: SHAH01525914S1

Tests Conducted

6 Polycyclic Aromatic Hydrocarbons (PAHs) Content

With reference to AfPS GS 2019:01 PAK, by solvent extraction and determined by Gas Chromatographic - Mass Spectrometry (GC/MS).

Toy for children

Test Item	Result (mg/kg)						Requirement (mg/kg)
	(1+2)	(3+4)	(5+6)	(7)to(10)	(11+12)	(13)	(Max.)
Benzo(a)pyrene	ND	ND	ND	ND	ND	ND	0.5
Benzo(e)pyrene	ND	ND	ND	ND	ND	ND	0.5
Benzo(a)anthracene	ND	ND	ND	ND	ND	ND	0.5
Chrysene	ND	ND	ND	ND	ND	ND	0.5
Benzo(b)fluoranthene	ND	ND	ND	ND	ND	ND	0.5
Benzo(j)fluoranthene	ND	ND	ND	ND	ND	ND	0.5
Benzo(k)fluoranthene	ND	ND	ND	ND	ND	ND	0.5
Dibenzo(a,h)anthracene	ND	ND	ND	ND	ND	ND	0.5

Remark : The above limit was quoted according to Annex XVII Items 50 of the REACH Regulation (EC) No.1907/2006 & amendment (EU) No. 1272/2013 for Polycyclic Aromatic Hydrocarbons (PAHs).

ND = Not Detected
Detection limit = 0.2 mg/kg

Tested components: See component list in the last section of this report.

Date Sample Received: 05 Dec, 2022

Testing Period: 05 Dec, 2022 To 14 Dec, 2022

To be continued



Test Report

Number: SHAH01525914S1

Tests Conducted

7 Formaldehyde Release Content

As per test method EN 717-3:1996, formaldehyde release content was determined by UV-Visible Spectrophotometer(UV-Vis) analysis.

Tested Sample/Component	Moisture Content(%)	Result (mg/kg)	Client's Requirement (mg/kg)
(14)	3	ND	-

Remark: ND = Not Detected

Detection Limit = 5 mg/kg (based on dry weight)

Tested Components: See component list in the last section of this report.

Date Sample Received: 05 Dec, 2022

Testing Period: 05 Dec, 2022 To 08 Dec, 2022

To be continued

Test Report

Number: SHAH01525914S1

Tests Conducted

8 Detection of Amines Derived from Azocolourants and Azodyes

By Gas Chromatographic - Mass Spectrometric (GC-MS) And High Performance Liquid Chromatographic (HPLC) Analysis.

Test Method:	EN ISO 14362-1: 2017 for Textile Material
	EN ISO 17234-1: 2015 for Leather Material
	EN ISO 14362-3: 2017 & EN ISO 17234-2: 2011 for p-Aminoazobenzene

	Forbidden	Cas No.	Result (ppm)	
			(8)	
			Method T	Method D
1.	4-Aminodiphenyl	92-67-1	N	N
2.	Benzidine	92-87-5	N	N
3.	4-Chloro-o-Toluidine	95-69-2	N	N
4.	2-Naphthylamine	91-59-8	N	N
5.	o-Aminoazotoluene	97-56-3	N	N
6.	2-Amino-4-Nitrotoluene	99-55-8	N	N
7.	p-Chloroaniline	106-47-8	N	N
8.	2,4-Diaminoanisole	615-05-4	N	N
9.	4,4'-Diaminodiphenylmethane	101-77-9	N	N
10.	3,3'-Dichlorobenzidine	91-94-1	N	N
11.	3,3'-Dimethoxybenzidine	119-90-4	N	N
12.	3,3'-Dimethylbenzidine	119-93-7	N	N
13.	3,3'-Dimethyl-4,4'diaminodiphenylmethane	838-88-0	N	N
14.	p-Cresidine	120-71-8	N	N
15.	4,4'-Methylene-Bis(2-Chloroaniline)	101-14-4	N	N
16.	4,4'-Oxydianiline	101-80-4	N	N
17.	4,4'-Thiodianiline	139-65-1	N	N
18.	o-Toluidine	95-53-4	N	N
19.	2,4-Toluylenediamine	95-80-7	N	N
20.	2,4,5-Trimethylaniline	137-17-7	N	N
21.	o-Anisidine	90-04-0	N	N
22.	p-Aminoazobenzene	60-09-3	N	N

To be continued



Test Report

Number: SHAH01525914S1

Tests Conducted

	Forbidden	Cas No.	Result (ppm)	
			(11+12+13)	
			Method T	Method D
1.	4-Aminodiphenyl	92-67-1	N	N
2.	Benzidine	92-87-5	N	N
3.	4-Chloro-o-Toluidine	95-69-2	N	N
4.	2-Naphthylamine	91-59-8	N	N
5.	o-Aminoazotoluene	97-56-3	N	N
6.	2-Amino-4-Nitrotoluene	99-55-8	N	N
7.	p-Chloroaniline	106-47-8	N	N
8.	2,4-Diaminoanisole	615-05-4	N	N
9.	4,4'-Diaminodiphenylmethane	101-77-9	N	N
10.	3,3'-Dichlorobenzidine	91-94-1	N	N
11.	3,3'-Dimethoxybenzidine	119-90-4	N	N
12.	3,3'-Dimethylbenzidine	119-93-7	N	N
13.	3,3'-Dimethyl-4,4'-diaminodiphenylmethane	838-88-0	N	N
14.	p-Cresidine	120-71-8	N	N
15.	4,4'-Methylene-Bis(2-Chloroaniline)	101-14-4	N	N
16.	4,4'-Oxydianiline	101-80-4	N	N
17.	4,4'-Thiodianiline	139-65-1	N	N
18.	o-Toluidine	95-53-4	N	N
19.	2,4-Toluylenediamine	95-80-7	N	N
20.	2,4,5-Trimethylaniline	137-17-7	N	N
21.	o-Anisidine	90-04-0	N	N
22.	p-Aminoazobenzene	60-09-3	N	N

Remark: N = Not Detected
Detection Limit = 5 ppm
Requirement = 30 ppm (Max.)
ppm = Parts per million = mg/kg

Method T: Direct buffer extraction as per EN ISO 14362-1: 2017 Section 10.2

Method D: Colourant extraction with Xylene as per EN ISO 14362-1: 2017 Section 10.1

Tested Components: See component list in the last section of this report.

Date Sample Received: 05 Dec, 2022

Testing Period: 05 Dec, 2022 To 13 Dec, 2022

To be continued

Test Report

Number: SHAH01525914S1

Tests Conducted

9 Short-Chain Chlorinated Paraffins (C10~C13)(SCCPs) Content

By solvent extraction, determined by Gas Chromatography-Electron Capture Detector (GC-ECD) and Gas Chromatography-Negative Chemical Ionization-Mass Spectrometry (GC-NCI-MS).

Tested Component	Result (% w/w)
(1+2)	ND
(3+4)	ND
(5+6)	ND
(7)	ND
(8)	ND
(9)	0.01
(10)	ND
(11+12)	ND
(13)	ND

Requirement:

Short Chain Chlorinated Paraffin's concentration should be lower than 0.15% in articles under Annex I Part A of the Regulation (EU) 2019/1021 on persistent organic pollutants (POPs).

Remark: Detection Limit = 0.01% (w/w)
ND = Not detected

Tested Components: See component list in the last section of this report.

Date Sample Received: 05 Dec, 2022

Testing Period: 05 Dec, 2022 To 14 Dec, 2022

To be continued



Test Report

Number: SHAH01525914S1

Tests Conducted

10 **Mechanical and Physical Test**

As per British Standard on Safety of toys BS EN 71-1: 2014+A1: 2018.

Applicant's specified age group for testing: For ages 3 years and up

Clause	Testing items	Assessment
4	General requirements	
4.1	Material cleanliness	P
4.2	Assembly	P
4.3	Flexible plastic sheeting	NA
4.4	Toy bags	NA
4.5	Glass	NA
4.6	Expanding materials	NA
4.7	Edges	P
4.8	Points and metallic wires	P
4.9	Protruding parts	NA
4.10	Parts moving against each other	NA
4.11	Mouth actuated toys and other toys intended to be put in the mouth	NA
4.12	Balloons	NA
4.13	Cords of toy kites and other flying toys	NA
4.14	Enclosures	NA
4.15	Toys intended to bear the mass of a child	NA
4.16	Heavy immobile toys	NA
4.17	Projectile toys	NA
4.18	Aquatic toys and inflatable toys	NA
4.19	Percussion caps specifically designed for use in toys and toys using percussion caps	NA
4.20	Acoustics	NA
4.21	Toys containing non-electrical heat source	NA
4.22	Small balls	P
4.23	Magnets	NA
4.24	Yo-yo balls	NA
4.25	Toys attached to food	NA
4.26	Toy Disguise Costumes	NA
4.27	Flying toys	NA
5	Toys intended for children under 36 months	
5.1	General requirements for children under 36 months	NA
5.2	Soft-filled toys and soft-filled parts of a toy	NA
5.3	Plastic sheeting	NA

Test Report

Number: SHAH01525914S1

Tests Conducted

Clause	Testing items	Assessment
5.4	Cords, chains and electrical cables in toys	NA
5.5	Liquid filled toys	NA
5.6	Speed limitation of electrically-driven ride-on toys	NA
5.7	Glass and porcelain	NA
5.8	Shape and size of certain toys	NA
5.9	Toys comprising monofilament fibres	NA
5.10	Small balls	NA
5.11	Play figures	NA
5.12	Hemispheric-shaped toys	NA
5.13	Suction cups	NA
5.14	Straps intended to be worn fully or partially around the neck	NA
5.15	Sledges with cords for pulling	NA
6	Packaging	NA
7	Warnings, markings and instructions for use	
7.1	General	P
7.2	Toys not intended for children under 36 months	NA
7.3	Latex balloons	NA
7.4	Aquatic toys	NA
7.5	Functional toys	NA
7.6	Hazardous sharp functional edges and points	NA
7.7	Projectile toys	NA
7.8	Imitation protective masks and helmets	NA
7.9	Toy kites	NA
7.10	Roller skates, inlineskates and skateboards and certain other ride-on toys	NA
7.11	Toys otherwise intended to be strung across a cradle, cot, or perambulator	NA
7.12	Liquid-filled teethingers	NA
7.13	Percussion caps specifically designed for use in toys	NA
7.14	Acoustics	NA
7.15	Toy bicycles	NA
7.16	Toys intended to bear the mass of a child	NA
7.17	Toys comprising monofilament fibres	NA
7.18	Toy scooters	NA
7.19	Rocking horses and similar toys	NA
7.20	Magnetic/electrical experimental sets	NA
7.21	Toys with electrical cables exceeding 300 mm in length	NA
7.22	Toys with cords or chains intended for children of 18 months and over but under 36 months	NA



Test Report

Number: SHAH01525914S1

Tests Conducted

Clause	Testing items	Assessment
7.23	Toys intended to be attached to a cradle, cot or perambulator	NA
7.24	Sledges with cords for pulling	NA
7.25	Flying toys	NA
7.26	Improvised projectiles	NA

Abbreviation: P = Pass

NA = Not Applicable

Artwork of packaging was provided for testing.

Below are additional information according to the Toy Safety Directive 2009/48/EC requirement. These information also appears as a note within the BS EN71 but are not standard requirements and not accredited:

Marking

The manufacturer's and importer's name, registered trade name or registered trademark, the address and type, batch, serial or model number or other element allowing their identification shall be indicated on the product itself. In addition, toys or packaging shall also bear the CE-marking.

After checking, it was found that

	Toy	Packaging
Manufacturer's name	Absent	Present
Manufacturer's address	Absent	Present
Importer's name	Absent	Present
Importer's address	Absent	Present
Product identification code	Absent	Present
CE-marking	Absent	Present

To be continued



Test Report

Number: SHAH01525914S1

Tests Conducted

Below is additional information checking according to the UK Toy (Safety) Regulations requirement. The checking is not within accreditation scope.

Marking

The manufacturer's and importer's name, registered trade name or registered trademark, the address and type, batch, serial or model number or other element allowing their identification shall be indicated on the product itself.

After checking, it was found that

	Toy	Packaging
Manufacturer's name	Absent	Present
Manufacturer's address	Absent	Present
UK Importer's name	Absent	Present
UK Importer's address	Absent	Present
Product identification code	Absent	Present

With reference to the guidance of using UKCA marking from 1 January 2021 by the Department for Business, Energy and Industrial Strategy published on 1 September 2020.

After checking UKCA marking, it was found that

	Toy	Packaging
UKCA marking	Absent	Present

Date Sample Received: 05 Dec, 2022

Testing Period: 05 Dec, 2022 To 11 Dec, 2022

To be continued



Test Report

Number: SHAH01525914S1

Tests Conducted

11 Flammability Test

As per British Standard on Safety of Toys BS EN71-2: 2020

Clause	Testing Items	Assessment
4.1	General	P
4.2	Toys to be worn on the head	
4.2.2	Beards, moustaches, wigs, etc., made from pile or flowing elements which protrude 50 mm or more from the surface of the toy	NA
4.2.3	Beards, moustaches, wigs, etc., made from pile or flowing elements which protrude less than 50 mm from the surface of the toy	NA
4.2.4	Full or partial moulded head masks	NA
4.2.5	Toys to be worn on the head	NA
4.3	Toy Disguise Costumes and Toys Intended to be Worn by a Child in Play	NA
4.4	Toys Intended to be Entered by a Child	NA
4.5	Soft Filled Toys	NA

Remark : P = Pass

NA = Not Applicable

Date Sample Received: 05 Dec, 2022

Testing Period: 05 Dec, 2022 To 11 Dec, 2022

To be continued



Test Report

Number: SHAH01525914S1

Tests Conducted

12 19 Toxic Elements Migration Test

(A) Test Result

As per BS EN 71-3:2019+A1:2021 and followed by Inductively Coupled Plasma Atomic Emission Spectrometry, Inductively Coupled Argon Mass Spectrometry, Ion Chromatography- Inductively Coupled Plasma-Mass Spectrometry, and Gas Chromatographic - Mass Spectrometry.

Category (III): Scraped-off toy material

Element	Result (mg/kg)				Limit (mg/kg)
	(1)#	(3)#	(4)#	(5)#	
Aluminium (Al)	< 300	308	< 300	391	28130
Antimony (Sb)	< 10	< 10	< 10	< 10	560
Arsenic (As)	< 10	< 10	< 10	< 10	47
Barium (Ba)	< 10	< 10	< 10	< 10	18750
Boron (B)	< 50	< 50	< 50	< 50	15000
Cadmium (Cd)	< 5	< 5	< 5	< 5	17
Chromium (III) (Cr III) **	< 10	< 10	< 10	< 10	460
Chromium (VI) (Cr VI) **	< 0.025	< 0.025	< 0.025	< 0.025	0.053
Cobalt (Co)	< 10	< 10	< 10	< 10	130
Copper (Cu)	< 10	< 10	< 10	< 10	7700
Lead (Pb)	< 10	< 10	< 10	< 10	23
Manganese (Mn)	< 10	< 10	< 10	< 10	15000
Mercury (Hg)	< 10	< 10	< 10	< 10	94
Nickel (Ni)	< 10	< 10	< 10	< 10	930
Selenium (Se)	< 10	< 10	< 10	< 10	460
Strontium (Sr)	< 100	159	< 100	< 100	56000
Tin (Sn)	< 10	< 10	< 10	< 10	180000
Organic tin **	< 3.0	< 3.0	< 3.0	< 3.0	12
Zinc (Zn)	< 100	343	353	366	46000

To be continued



Test Report

Number: SHAH01525914S1

Tests Conducted

Element	Result (mg/kg)				Limit (mg/kg)
	(6)#	(7)#	(8)#	(9)#	
Aluminium (Al)	323	< 300	< 300	< 300	28130
Antimony (Sb)	< 10	< 10	< 10	< 10	560
Arsenic (As)	< 10	< 10	< 10	< 10	47
Barium (Ba)	< 10	< 10	14	< 10	18750
Boron (B)	< 50	< 50	< 50	< 50	15000
Cadmium (Cd)	< 5	< 5	< 5	< 5	17
Chromium (III) (Cr III) **	< 10	< 10	< 10	< 10	460
Chromium (VI) (Cr VI) **	< 0.025	< 0.025	< 0.025	< 0.025	0.053
Cobalt (Co)	< 10	< 10	< 10	< 10	130
Copper (Cu)	< 10	< 10	< 10	< 10	7700
Lead (Pb)	< 10	< 10	< 10	< 10	23
Manganese (Mn)	< 10	< 10	< 10	< 10	15000
Mercury (Hg)	< 10	< 10	< 10	< 10	94
Nickel (Ni)	< 10	< 10	< 10	< 10	930
Selenium (Se)	< 10	< 10	< 10	< 10	460
Strontium (Sr)	< 100	< 100	< 100	< 100	56000
Tin (Sn)	< 10	< 10	< 10	< 10	180000
Organic tin **	< 3.0	< 3.0	< 3.0	< 3.0	12
Zinc (Zn)	364	< 100	< 100	< 100	46000
Element	Result (mg/kg)				Limit (mg/kg)
	(10)	(11)#	(12)#	(13)#	
Aluminium (Al)	< 300	< 300	< 300	< 300	28130
Antimony (Sb)	< 10	< 10	< 10	< 10	560
Arsenic (As)	< 10	< 10	< 10	< 10	47
Barium (Ba)	< 10	< 10	< 10	< 10	18750
Boron (B)	< 50	< 50	< 50	< 50	15000
Cadmium (Cd)	< 5	< 5	< 5	< 5	17
Chromium (III) (Cr III) **	< 10	< 10	< 10	< 10	460
Chromium (VI) (Cr VI) **	< 0.025	< 0.025	< 0.025	< 0.025	0.053
Cobalt (Co)	< 10	< 10	< 10	< 10	130
Copper (Cu)	< 10	< 10	< 10	< 10	7700
Lead (Pb)	< 10	< 10	< 10	< 10	23
Manganese (Mn)	< 10	< 10	< 10	< 10	15000
Mercury (Hg)	< 10	< 10	< 10	< 10	94
Nickel (Ni)	< 10	< 10	< 10	< 10	930
Selenium (Se)	< 10	< 10	< 10	< 10	460
Strontium (Sr)	< 100	< 100	< 100	< 100	56000
Tin (Sn)	< 10	< 10	< 10	< 10	180000
Organic tin **	< 3.0	< 3.0	< 3.0	< 3.0	12
Zinc (Zn)	< 100	< 100	< 100	< 100	46000

To be continued

Test Report

Number: SHAH01525914S1

Tests Conducted

Element	Result (mg/kg) (14)#	Limit (mg/kg)
Aluminium (Al)	< 300	28130
Antimony (Sb)	< 10	560
Arsenic (As)	< 10	47
Barium (Ba)	< 10	18750
Boron (B)	< 50	15000
Cadmium (Cd)	< 5	17
Chromium (III) (Cr III) **	< 10	460
Chromium (VI) (Cr VI) **	< 0.025	0.053
Cobalt (Co)	< 10	130
Copper (Cu)	< 10	7700
Lead (Pb)	< 10	23
Manganese (Mn)	25	15000
Mercury (Hg)	< 10	94
Nickel (Ni)	< 10	930
Selenium (Se)	< 10	460
Strontium (Sr)	< 100	56000
Tin (Sn)	< 10	180000
Organic tin **	< 3.0	12
Zinc (Zn)	< 100	46000

Remark: mg/kg = Milligram per kilogram

spl. wt. = Sample weight

++ = Unless the test results were marked with "#" or "Δ", Chromium (III) & Chromium (VI) and Organic tin contents were not directly determined and were derived from migration results of total chromium and tin respectively.

- Organic tin test result was expressed as tributyl tin.

= Confirmation of Chromium (VI) test was performed on the tested component. And the reported value of migration of Chromium (III) = migration value of total Chromium – migration value of Chromium(VI).

@ = Since the sample weight of the component (2) was less than 10 mg, soluble heavy metal analysis was not applicable.

Tested Component(s): See component list in the last section of this report.

To be continued



Test Report

Number: SHAH01525914S1

Tests Conducted

(B) Categories of various toy materials

Category I: Dry, brittle, powder like or pliable

Solid toy material from which powder-like material is released during playing and semi-solid materials that may also leave residues on the hands during play. The material can be ingested. Contamination of the hands with the material may contribute to the oral exposure of the material. (e.g. the cores of colouring pencils, chalk, crayons, modelling clays and plaster).

Category II: Liquid or sticky

Fluid or viscous toy material, which can be ingested or to which dermal exposure may occur during playing. (e.g. liquid paints, finger paints, liquid ink in pens, glue sticks, slimes, bubble solution).

Category III: Scraped-off

Solid toy material with or without a coating, which can be ingested as a result of biting, tooth scraping, sucking or licking. (e.g. coatings, lacquers, plastics, paper, textiles, glass, ceramic, metallic, wooden, bone, leather and other materials).

Date Sample Received: 05 Dec, 2022

Testing Period: 05 Dec, 2022 To 12 Dec, 2022

To be continued



Test Report

Number: SHAH01525914S1

Tests Conducted



To be continued



Test Report

Number: SHAH01525914S1

Tests Conducted

Components:

- (1) White coating on metal.
- (2) Black coating on metal(zipper).
- (3) Red coating on wood. Spl.wt.=0.0562g
- (4) Green coating on wood. Spl.wt.=0.0548g
- (5) Blue coating on wood. Spl.wt.=0.0549g
- (6) Grey coating on wood. Spl.wt.=0.0533g
- (7) Green coating on fabric(bag). Spl.wt.=0.0653g
- (8) Blue fabric with PVC plastic film.
- (9) Black Velcro hook.
- (10) Black plastic(zipper teeth).
- (11) Black Velcro loop.
- (12) Black webbing(handle).
- (13) Black fabric(zipper tape).
- (14) Natural color wood.

End of report

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.

This report shall not be reproduced except in full, without written approval of the laboratory.



To: NINGBO DREAMGO TOYS CO.,LTD
Attention: APPLE LUO

Date: 21 Dec, 2022

Re: Report Revision Notification

Intertek Testing Services Ltd.,Zhejiang Ningbo Branch Report Number SHAH01525914 Dated 20 Dec, 2022.

Please be informed that all the content recorded in the above captioned report will be void. This captioned report is now superseded by a revised Intertek Testing Services Ltd.,Zhejiang Ningbo Branch Report Number **SHAH01525914S1**.

Reason for report revision:

1. Revised the information (Page 1 of test report)

Thank you for your attention.

Authorized By:
Intertek Testing Services Ltd .Zhejiang, Ningbo Branch



Peter Chen
General Manager

